

## Distribution Cabinets K0 and K1



## Introduction

Street distribution cabinet with a possibility to mount another cabinet inside. The cabinet is used as a splice cabinet or as a protective cabinet with splice cabinet or cross-connection cabinet mounted inside.


## Features

- Distribution cabinet for outdoor use with a stand
- Universal design and suitable for multiple applications
- Basic assemblies
  - LV1621 K0 Street distribution cabinet with a stand, height 850 mm
    - Integrated stand
  - LV2387 K1 Street distribution cabinet with a stand, height 850 mm
    - Removable stand
  - LV1334 K1 Street distribution cabinet with a stand, height 1200 mm
    - Removable stand
- The outer parts of the cabinets are galvanized and powder-painted steel plate
  - Colour RAL 7008
- Cabinet door is compatible with multiple lock options
  - The lock is not included in the basic assembly
  - Cabinets are also available with pre-installed locks
    - Abloy CL100 cam lock
    - Quarter-turn vibration resistant lock with 7 mm triangle insert
    - Quarter-turn vibration resistant lock with Stockholm Energy insert
    - Other, contact us for more details
- User-friendly and robust design
  - Dust-proof construction
  - Mounting points for another cabinet inside
  - Removable cover plates on the front
  - Horizontal mounting bars for incoming cables
    - Compatible with Sormat steel cable clamps
  - A latch and a protective cover for lock
- Equipped with orange ploughing stick and 4mm banana jack for sheathed plugs

## Dimensions

- |                      |                                 |
|----------------------|---------------------------------|
| • K0 cabinet, 850mm  | 1850 (H) x 604 (W) x 351 (D) mm |
| • K1 cabinet, 850mm  | 1855 (H) x 855 (W) x 365 (D) mm |
| • K1 cabinet, 1200mm | 2205 (H) x 855 (W) x 365 (D) mm |

K0 cabinet, 850mm



K1 cabinets, 850 mm and 1200mm

